

Safety data sheet

Page: 1/23

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kinto® Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

1.3. Details of the supplier of the safety data sheet

Company:

BASF plc
4th and 5th Floors
2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Skin Corr./Irrit. 2	H315 Causes skin irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Repr. Additional category for effects on or via lactation.	H362 May cause harm to breast-fed children.
Repr. 2	H361f Suspected of damaging fertility.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:



Signal Word:
Warning

Hazard Statement:

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H362	May cause harm to breast-fed children.
H361f	Suspected of damaging fertility.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P263	Avoid contact during pregnancy and while nursing.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and clothing.
P281	Use personal protective equipment as required.

Precautionary Statements (Response):

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: 2-methylisothiazol-3(2H)-one, 1,2-benzisothiazol-3(2H)-one

Hazard determining component(s) for labelling: Fluxapyroxad (ISO); 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-, triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol, 2-methylisothiazol-3(2H)-one, 5-Chloro-2-methyl-2H-isothiazol-3-one

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

The product contains a substance that is identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 or is included in the Candidate List of substances of very high concern according to Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties. The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

crop protection product, fungicide, Flowable concentrate for seed treatment (FS)

Hazardous ingredients (GHS)

fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile

Content (W/W): 3.02 %

Aquatic Acute 1

CAS Number: 131341-86-1

Aquatic Chronic 1

M-factor acute: 1

M-factor chronic: 10

H400, H410

triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol

Content (W/W): 3.02 %

Repr. 2 (fertility)

CAS Number: 138182-18-0

STOT RE (Liver, Adrenal gland) 2

Aquatic Acute 1

Aquatic Chronic 1

M-factor acute: 1

M-factor chronic: 1

H361f, H373, H400, H410

Fluxapyroxad (ISO); 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-

Content (W/W): 3.02 %

Repr. Add. cat. lact.

CAS Number: 907204-31-3

Aquatic Acute 1

Aquatic Chronic 1

M-factor acute: 1

M-factor chronic: 1

H362, H400, H410

Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt

Content (W/W): < 5 %

Aquatic Chronic 3

CAS Number: 119432-41-6

H412

5-Chloro-2-methyl-2H-isothiazol-3-one

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Content (W/W): < 0.1 %
CAS Number: 26172-55-4
EC-Number: 247-500-7

Acute Tox. 2 (Inhalation - dust)
Acute Tox. 3 (oral)
Acute Tox. 2 (dermal)
Skin Corr. 1C
Eye Dam. 1
Skin Sens. 1A
Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 100
M-factor chronic: 100
H314, H301, H317, H310 + H330, H400, H410
EUH071

Specific concentration limit:

Skin Irrit. 2: 0.06 - < 0.6 %
Skin Sens. 1A: >= 0.0015 %
Skin Corr. 1C: >= 0.6 %
Eye Dam. 1: >= 0.6 %
Eye Irrit. 2: 0.06 - < 0.6 %

bronopol (INN)

Content (W/W): < 0.05 %
CAS Number: 52-51-7
EC-Number: 200-143-0
REACH registration number: 01-2119980938-15
INDEX-Number: 603-085-00-8

Acute Tox. 3 (Inhalation - dust)
Acute Tox. 3 (oral)
Acute Tox. 4 (dermal)
Skin Irrit. 2
Eye Dam. 1
STOT SE 3 (irr. to respiratory syst.)
Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 10
M-factor chronic: 10
H318, H315, H312, H335, H301 + H331, H400, H410

Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008

Aquatic Chronic 1
Aquatic Acute 1
M-factor acute: 100
M-factor chronic: 10

1,2-benzisothiazol-3(2H)-one

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Content (W/W): < 0.036 %
CAS Number: 2634-33-5
EC-Number: 220-120-9
REACH registration number: 01-2120761540-60
INDEX-Number: 613-088-00-6

Acute Tox. 2 (Inhalation - dust)
Acute Tox. 4 (oral)
Skin Irrit. 2
Eye Dam. 1
Skin Sens. 1A
Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 1
M-factor chronic: 1
H318, H315, H330, H302, H317, H400, H410

Specific concentration limit:

Skin Sens. 1A: >= 0.036 %

2-methylisothiazol-3(2H)-one

Content (W/W): < 0.02 %
CAS Number: 2682-20-4
EC-Number: 220-239-6
INDEX-Number: 613-326-00-9

Acute Tox. 2 (Inhalation - dust)
Acute Tox. 3 (oral)
Acute Tox. 3 (dermal)
Skin Corr. 1B
Eye Dam. 1
Skin Sens. 1A
Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 10
M-factor chronic: 1
H330, H317, H314, H301 + H311, H400, H410
EUH071

Specific concentration limit:

Skin Sens. 1A: >= 0.0015 %

Skin Sens. 1A: >= 0.0015 %

Propane-1,2-diol

Content (W/W): < 10 %
CAS Number: 57-55-6
EC-Number: 200-338-0
REACH registration number: 01-2119456809-23

polyethylene glycol

Content (W/W): < 5 %
CAS Number: 25322-68-3
REACH registration number: 01-2119958801-32

Glycerol

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Content (W/W): < 5 %
CAS Number: 56-81-5
EC-Number: 200-289-5
REACH registration number: 01-2119471987-18

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Show container, label and/or safety data sheet to physician.

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, sulfur dioxide, hydrogen chloride, hydrogen fluoride, hydrogen bromide, nitrogen oxides, halogenated compounds, sulfur oxides, silica compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, Kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet.

56-81-5: Glycerol

TWA value 10 mg/m³ (WEL/EH 40 (UK)), Mist

57-55-6: Propane-1,2-diol

TWA value 474 mg/m³ ; 150 ppm (WEL/EH 40 (UK)), Total vapour and particulates

TWA value 10 mg/m³ (WEL/EH 40 (UK)), Particulate

907204-31-3: 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluorobiphenyl-2-yl)pyrazole-4-carboxamide

TWA value 0.5 mg/m³ (BASF recomm. occupational exposure limit)

138182-18-0: (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol

TWA value 0.335 mg/m³ (BASF recomm. occupational exposure limit)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	liquid
Colour:	red
Odour:	faint odour, sweetish
Odour threshold:	
	Not determined due to potential health hazard by inhalation.
pH value:	approx. 5 - 7 (23 °C)
Freezing point:	approx. -5 °C
Boiling point:	approx. 100 °C
	Information applies to the solvent.
Flash point:	
	Non-flammable.
Flammability:	not flammable
Lower explosion limit:	
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Ignition temperature: 455 °C (Directive 84/449/EEC, A.15)

Vapour pressure: approx. 23.4 hPa
(20 °C)

Information applies to the solvent.

Density: approx. 1.10 g/cm³
(20 °C)

Relative vapour density (air):
not determined

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log K_{ow}):
not applicable for mixtures

Thermal decomposition: 165 °C, 640 kJ/kg, (DSC (OECD 113))
(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Viscosity, dynamic: approx. 162 mPa.s
(40 °C, 100 1/s)

Viscosity, kinematic: approx. 147.3 mm²/s
(40 °C) (calculated (from dynamic viscosity))

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

SADT: > 75 °C

Grain size distribution: The substance / product is marketed or used in a non solid or granular form.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:
LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)
No mortality was observed.

LC50 rat (by inhalation): > 5.45 mg/l 4 h
No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Irritation

Assessment of irritating effects:
Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation
rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation
rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Information on: 2-methylisothiazol-3(2H)-one

Experimental/calculated data:

Buehler test guinea pig: skin sensitizing (OECD Guideline 406)

Information on: 5-Chloro-2-methyl-2H-isothiazol-3-one

Experimental/calculated data:

Guinea pig maximization test guinea pig: skin sensitizing (OECD Guideline 406)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bronopol (INN)

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad (ISO); 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-

Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad (ISO); 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Assessment of reproduction toxicity:

The potential to impair fertility cannot be excluded when given at maternally toxic doses.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol

Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs.

Information on: Fluxapyroxad (ISO); 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-

Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

Information on: bronopol (INN)

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Aspiration hazard

not applicable

Other relevant toxicity information

Misuse can be harmful to health.

The product contains one or more substances that may cause endocrine disruption in humans

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol

Toxicity to fish:

LC50 (96 h) > 3.6 mg/l, Oncorhynchus mykiss

Information on: Fluxapyroxad (ISO); 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-

Toxicity to fish:

LC50 (96 h) 0.29 mg/l, Cyprinus carpio (Fish test acute, semistatic)

LC50 (96 h) 0.546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

LC50 (96 h) 1.15 mg/l, Lepomis macrochirus (OECD Guideline 203, static)

LC50 (96 h) 0.466 mg/l, Pimephales promelas (OECD Guideline 203, static)

Information on: fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile

Toxicity to fish:

LC50 (96 h) 0.23 mg/l, Oncorhynchus mykiss

LC50 (96 h) 0.7 mg/l, Pimephales promelas

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol

Aquatic invertebrates:

EC50 (96 h) 6.6 mg/l, Americamysis bahia

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Information on: *Fluxapyroxad* (ISO); 1*H*-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-

Aquatic invertebrates:

EC50 (48 h) 6.78 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Information on: *fludioxonil* (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1*H*-pyrrole-3-carbonitrile

Aquatic invertebrates:

EC50 (48 h) 0.4 mg/l, *Daphnia magna*

EC50 (96 h) 0.27 mg/l, *Americamysis bahia*

Information on: *triticonazole* (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1*H*-1,2,4-triazol-1-methyl)cyclopentanol

Aquatic plants:

EC50 (120 h) 0.31 mg/l, *Skeletonema costatum*

No observed effect concentration (120 h) 0.031 mg/l, *Skeletonema costatum*

EC50 (14 d) 1.4 mg/l, *Lemna gibba*

No observed effect concentration (14 d) 0.33 mg/l, *Lemna gibba*

EC50 (72 h) 10 mg/l, *Pseudokirchneriella subcapitata*

No observed effect concentration (72 h) 3.2 mg/l, *Pseudokirchneriella subcapitata*

Information on: *Fluxapyroxad* (ISO); 1*H*-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-

Aquatic plants:

EC50 (72 h) 0.70 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

EC50 (96 h) 0.66 mg/l (growth rate), *Pseudokirchneriella subcapitata*

EC10 (72 h) 0.31 mg/l (growth rate), *Pseudokirchneriella subcapitata*

EC10 (96 h) 0.36 mg/l (growth rate), *Pseudokirchneriella subcapitata*

Information on: *fludioxonil* (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1*H*-pyrrole-3-carbonitrile

Aquatic plants:

EC50 (96 h) > 0.44 mg/l (growth rate), *Pseudokirchneriella subcapitata*

No observed effect concentration (96 h) 0.132 mg/l, *Pseudokirchneriella subcapitata*

EC50 (96 h) 0.43 mg/l (growth rate), *Skeletonema costatum*

No observed effect concentration (96 h) 0.14 mg/l (growth rate), *Skeletonema costatum*

Information on: *triticonazole* (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1*H*-1,2,4-triazol-1-methyl)cyclopentanol

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Chronic toxicity to fish:

No observed effect concentration (28 d) 0.01 mg/l, Oncorhynchus mykiss

No observed effect concentration (175 d) 0.0114 mg/l, Pimephales promelas

Information on: Fluxapyroxad (ISO); 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-

Chronic toxicity to fish:

No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210, Flow through.)

Information on: fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile

Chronic toxicity to fish:

No observed effect concentration (28 d) 0.04 mg/l, Oncorhynchus mykiss

No observed effect concentration (116 d) 0.018 mg/l, Pimephales promelas

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (28 d) 0.041 mg/l, Mysidopsis bahia

Information on: Fluxapyroxad (ISO); 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Information on: fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.035 mg/l, Daphnia magna

No observed effect concentration (28 d) 0.018 mg/l, Mysidopsis bahia

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Information on: Fluxapyroxad (ISO); 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Information on: fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile
Assessment biodegradation and elimination (H₂O):
Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile
Assessment bioaccumulation potential:
Does not accumulate in organisms.

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol
Bioaccumulation potential:

Bioconcentration factor (BCF): 72.55 (42 d), Lepomis macrochirus
Does not accumulate in organisms.

Information on: Fluxapyroxad (ISO); 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-
Bioaccumulation potential:

Bioconcentration factor (BCF): 36 - 37 (28 d), Lepomis macrochirus (OECD Guideline 305)
Does not accumulate in organisms.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: Fluxapyroxad (ISO); 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Assessment transport between environmental compartments:

Adsorption in soil: low mobility in soil

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product contains one or more substances that may cause endocrine disruption in the environment.

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains FLUXAPYROXAD, TRITICONAZOLE)

Transport hazard class(es): 9, EHSM

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

RID

UN number or ID number: UN3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains FLUXAPYROXAD, TRITICONAZOLE)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

Inland waterway transport

ADN

UN number or ID number: UN3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains FLUXAPYROXAD, TRITICONAZOLE)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains FLUXAPYROXAD, TRITICONAZOLE)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Marine pollutant: YES
 Special precautions for user:

Air transport

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains FLUXAPYROXAD, TRITICONAZOLE)

Transport hazard class(es): 9, EHSM

Packing group: III

Environmental hazards: yes

Special precautions for user: None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

UK REACH SI, Annex XVII, Marketing and Use Restrictions
Number on List: 3

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
List entry in regulation: E1
Classification applies for standard conditions of temperature and pressure.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

This product is classified under the European CLP Regulation. (United Kingdom)
The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).
This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization
Repr.	Reproductive toxicity
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Aquatic Acute	Hazardous to the aquatic environment - acute
STOT RE	Specific target organ toxicity — repeated exposure
Acute Tox.	Acute toxicity
Skin Corr.	Skin corrosion
Eye Dam.	Serious eye damage
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity — single exposure
Eye Irrit.	Eye irritation
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H362	May cause harm to breast-fed children.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 26.05.2026

Version: 8.0

Date / Previous version: 06.05.2026

Previous version: 7.0

Product: **Kinto® Plus**

(ID no. 30658538/SDS_CPA_GB/EN)

Date of print 26.05.2026

H361f	Suspected of damaging fertility.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H400	Very toxic to aquatic life.
H373	May cause damage to organs (Liver, Adrenal gland) through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
H314	Causes severe skin burns and eye damage.
H301	Toxic if swallowed.
H310 + H330	Fatal in contact with skin or if inhaled.
H318	Causes serious eye damage.
H312	Harmful in contact with skin.
H335	May cause respiratory irritation.
H301 + H331	Toxic if swallowed or if inhaled.
H330	Fatal if inhaled.
H302	Harmful if swallowed.
H301 + H311	Toxic if swallowed or in contact with skin.
EUH071	Corrosive to the respiratory tract.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PMT = Persistent, Mobile and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative. vPvM = very Persistent and very Mobile.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.