

FAZOR®

MAPP No. 19605

JULY 2022

GET THE BEST OUT OF FAZOR IN ONIONS

FAZOR is a **Plant Growth Regulator** containing maleic hydrazide, for bulb onion sprout suppression.

RECOMMENDATIONS:

- Apply one application of FAZOR per crop at 3.5 – 4kg/ha
- Always apply with high water rates of 500 – 600L/ha to improve sprout suppression and long-term storage
- Apply at 10-30% necking and not later than 50% necking, when tops are still green to ensure adequate uptake and translocation to the bulb.
- A minimum of 4 days must elapse between treatment and topping.
- Use only on varieties with good keeping qualities.
- For maximum efficacy do not tank mix.

DO NOT APPLY:

- With adjuvants.
- Less than 1 week before harvest.
- If the crop is under any stress (this includes disease, pest pressure, nutrient deficiency, and drought stress).
- If daytime temperature exceeds 26°C or if rainfall / irrigation is due within 24 hrs of the application.
- To onions earlier than two weeks before maturity as spongy bulbs may result, as well as increased incidence of browning of the growing point if dormancy breaks in store.

EAMUs

The following EAMUs are permitted with

FAZOR (MAPP number 19605):

1. 20202714 – Outdoor crops of carrots and parsnips
2. 20202715 – Outdoor crops of Garlic and Shallot



www.upl-ltd.com/uk

UPL Europe Ltd, Engine Rooms, 1st Floor, Birchwood Park, Warrington, Cheshire WA3 6YN

T: +44 (0) 1925 819999 **E:** info.uk@upl-ltd.com

Use plant protection products safely. Always read the label and product information before use. Information in this guide does not constitute a recommendation, it is for guidance only. Products and brands in capital and bold type are registered trademarks of UPL Europe Ltd. Other brand names used in this guide are trademarks of other manufacturers, in which proprietary rights may exist. For further information please contact your local distributor or visit UPL at www.upl-ltd.com/uk.



Page 1 / 1